

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/635,318	08/06/2003	David Cope	EMI 02.02	8133
27667 75	590 07/06/2006		EXAM	INER
HAYES, SOLOWAY P.C.			PRESTON, ERIK D	
3450 E. SUNRISE DRIVE, SUITE 140 TUCSON, AZ 85718			ART UNIT	PAPER NUMBER
TOCSON, AL	65710		2834	<u> </u>
			DATE MAILED: 07/06/200	6

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Office Action Summary	10/635,318 Examiner	COPE ET AL.				
,	Erik D. Preston	2834				
The MAILING DATE of this communication ap						
Period for Reply	,					
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period Failure to reply within the set or extended period for reply will, by statut Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNION 136(a). In no event, however, may a rewill apply and will expire SIX (6) MON e, cause the application to become AB	CATION. reply be timely filed ITHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on <u>03 Λ</u>	May 2006.					
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
 4) Claim(s) 1-54 is/are pending in the application 4a) Of the above claim(s) 27,28,32-43 and 47-5) Claim(s) is/are allowed. 6) Claim(s) 1-26,29-31,44-46 and 54 is/are rejection is/are objected to. 8) Claim(s) are subject to restriction and/or 	<u>-53</u> is/are withdrawn from c	onsideration.				
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10)⊠ The drawing(s) filed on <u>06 August 2003</u> is/are: a)⊡ accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the	• • • • • • • • • • • • • • • • • • • •	···				
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	·					
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)	🗖					
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date 	Paper No(s	Summary (PTO-413) s)/Mail Date nformal Patent Application (PTO-152)				

U.S. Patent and Trademark Office PTOL-326 (Rev. 7-05) Art Unit: 2834

DETAILED ACTION

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the third lamination stack being substantially orthogonal to the first and second lamination stacks must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filling date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 10/635,318 Page 3

Art Unit: 2834

Claim Objections

Claim 54 is objected to because of the following informalities: In the 5th line of the claim, the phrase "...said lamination stacks..." lacks proper antecedent basis and, for examination purposes, will be interpreted as saying "...said <u>at least one</u> lamination stacks..." Appropriate correction is required.

Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

Claims 15,16,23 & 26 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. There is no mention in the originally filed disclosure of the third lamination stack being orthogonal to both the first and second lamination stacks. Fig. 8 of the originally filed drawings clearly discloses the third lamination stack (Fig. 8, #41) as being orthogonal to only one lamination stack (Fig. 8, #27).

Claim Rejections - 35 USC § 102

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Art Unit: 2834

Claims 1-12,15-26,44-46 & 54 are rejected under 35 U.S.C. 102(e) as being anticipated by Corcoran (US 2002/0053849 supplied by applicant).

The applied reference has a common assignee with the instant application.

Based upon the earlier effective U.S. filling date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

With respect to claims 1,17,24,44-46 & 54, Corcoran teaches a multiple degree-of-freedom motor comprising: An output shaft (Fig. 21, #702); a stator comprising first (Fig. 21, #714D) and second (Fig. 21, #714B) lamination stacks, each of said stacks having an interior curved surface and a coil (Paragraph 106) wound thereon, said stacks being disposed asymmetrically adjacent said output shaft, whereby each of said lamination stacks in without a complimentary, similarly positioned lamination stack on an opposing side of said output shaft (the first and second stacks do not functionally compliment each other, nor are they similarly positioned); and a rotor (Fig. 21, #704) fixed to said output shaft and movably supported adjacent said stator with an air gap disposed between said rotor and said stator, said rotor including at least one magnet (Paragraph 107) disposed thereon and being movable along said first said interior curved surface of said stacks in directions defining at least first and second degrees of freedom; wherein energization of the coil of said first stack establishes a first magnetic field to urge said output shaft to rotate both clockwise and counter-clockwise in a first

Art Unit: 2834

plane, and wherein energization of the coil of said second stack establishes a second magnetic field to urge said output shaft to rotate both clockwise and counter-clockwise in a second plane substantially orthogonal to the first plane (as seen, for example in Fig. 21).

With respect to claims 2 & 18, Corcoran teaches the motor of claims 1 & 17, wherein said first degree of freedom is substantially perpendicular to a longitudinal axis of wires of one of said coils associated with the first degree of freedom, and said second degree of freedom is substantially perpendicular to a longitudinal axis of wires of the other of said coils (as seen in Figs. 21 & 22).

With respect to claim 3, Corcoran teaches the motor of claim 1, wherein said interior curved surface substantially defines a portion of a sphere (as seen in Fig. 21).

With respect to claim 4, Corcoran teaches the motor of claim 1, wherein said curved interior surface is uniformly curved (as seen in Fig. 21).

With respect to claim 5, Corcoran teaches the motor of claim 1, wherein said interior curved surface has a plurality of slots formed therein (as seen in Fig. 21).

With respect to claim 6, Corcoran teaches the motor of claim 5, wherein said slots lie on planes substantially parallel to one another.

With respect to claim 7, Corcoran teaches the motor of claim 1, wherein said lamination stack comprises a plurality of laminations radially disposed about a center point, wherein a plane of each lamination extends through said center point (as seen in Figs. 21 & 22).

With respect to claim 8, Corcoran teaches the motor of claim 1, wherein at least one lamination stack has an interior curved surface (the tooth tips) with no slots formed therein.

With respect to claims 9 & 19, Corcoran teaches the motor of claims 1 & 17 wherein at least one said magnet is a permanent magnet.

With respect to claims 10,20 & 25, Corcoran teaches the motor of claims 1,17 & 24, wherein at least one said magnet is faceted (such as is described in Paragraph 82).

With respect to claims 11 & 21, Corcoran teaches the motor of claims 1 & 17, wherein the output shaft is also an input shaft.

With respect to claims 12 & 22, Corcoran teaches the motor of claims 1 & 17, further comprising at least one sensor (of the type as taught in Fig. 7, #64) for detecting movement of said input shaft.

With respect to claims 15,16,23 & 26, Corcoran teaches the motor of claims 1,17 & 24 wherein, said stator further comprises a third lamination stack (Fig. 21, #714A); having an interior curved surface and a coil wound thereon; wherein said third lamination stack is substantially orthogonal to said first and second lamination stacks; wherein said rotor includes at least one magnet disposed thereon and being movable along said interior curved surface of said third lamination stack in a direction defining a third degree of freedom; wherein energization of the coil of said third lamination stack establishes a third magnetic field to urge said output shaft to rotate in a third plane substantially orthogonal to each of said first and second planes (as seen in Figs. 21 & 22).

Art Unit: 2834

Claims 1-9,11,14,17-19,21,24,44,46 & 54 are rejected under 35 U.S.C. 102(e) as being anticipated by Moore et al. (US 7061466).

Page 7

With respect to claims 1,17,24,29,30,44-46 & 54, Moore teaches a multiple degree-of-freedom motor comprising: An output shaft (Fig. 2, #56); a stator comprising first (Fig. 2, #70a) and second (Fig. 2, #70b) stacks, each of said stacks having an interior curved surface and a coil (as seen in Figs. 5a & 5b) wound thereon, wherein the laminations of the first lamination stack and the second lamination stack are substantially parallel to one another (each of the laminations in the first and second stacks are substantially parallel to the other laminations included in their respective stacks) said stacks being disposed asymmetrically adjacent said output shaft; whereby each of said lamination stacks is without a complimentary, similarly positioned lamination stack on an opposite side of said output shaft, and a rotor fixed to said output shaft and movably supported adjacent said stator with an air gap disposed between said rotor and said stator, said rotor including at least one magnet (Fig. 5a, #96a) disposed thereon and being movable along said interior curved surface of said stacks in directions defining at least first and second degrees of freedom; wherein energization of the coil of said first stack establishes a first magnetic field to urge said output shaft to rotate both clockwise and counter-clockwise in a first plane, and wherein energization of the coil of said second stack establishes a second magnetic field to urge said output shaft to rotate both clockwise and counter-clockwise in a second plane substantially orthogonal to the first plane (as seen in Fig. 2).

With respect to claims 2 & 18, Moore teaches the motor of claims 1 & 17, wherein said first degree of freedom is substantially perpendicular to a longitudinal axis of wires of one of said coils associated with the first degree of freedom, and said second degree of freedom is substantially perpendicular to a longitudinal axis of wires of the other of said coils (as seen in Fig. 2).

With respect to claim 3, Moore teaches the motor of claim 1, wherein said interior curved surface substantially defines a portion of a sphere (as seen in Figs. 5a & 5b).

With respect to claim 4, Moore teaches the motor of claim 1, wherein said curved interior surface is uniformly curved (as seen in Figs. 5a & 5b).

With respect to claim 5, Moore teaches the motor of claim 1, wherein said interior curved surface has a plurality of slots formed therein (as seen in Figs. 5a & 5b).

With respect to claim 6, Moore teaches the motor of claim 5, wherein said slots lie on planes substantially parallel to one another.

With respect to claim 7, Moore teaches the motor of claim 1, wherein said lamination stack comprises a plurality of laminations radially disposed about a center point (the rotor as seen in Figs. 5a & 5b) wherein a plane of each lamination extends through said center point.

With respect to claim 8, Moore teaches the motor of claim 1, wherein at least one lamination stack has an interior curved surface (the tooth tips) with no slots formed therein.

With respect to claims 9 & 19, Moore teaches the motor of claims 1 & 17 wherein at least one said magnet is a permanent magnet.

Art Unit: 2834

With respect to claims 11 & 21, Moore teaches the motor of claims 1 & 17, wherein the output shaft is also an input shaft.

With respect to claims 12 & 22, Moore teaches the motor of claims 1 & 17, further comprising at least one sensor (Fig. 11, #72) for detecting movement of said input shaft.

With respect to claim 14, Moore teaches the motor of claim 1, further comprising a communication interface for providing input and/or output signals to detect and/or control the position of said output shaft (as seen in Fig. 11).

Claim Rejections - 35 USC § 103

Claim 13 is rejected under 35 U.S.C. 103(a) as being unpatentable over Moore et al. (US 7061466). Moore teaches the motor of claim 1, but it does not specifically teach a cooling fan. However, cooling fans for motors were well known at the time of the invention. It would have been obvious to one of ordinary skill in the art at the time of the invention to include a cooling fan in the invention of Moore since it would provide a means for cooling the stator of the motor.

Claims 10,20 & 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Moore et al. (US 7061466) further in view of Deeg et al. (DE 19501439 supplied by applicant). Moore teaches the motor of claims 1,17 & 24, but it does not specifically teach that at least one said magnet is faceted. However, Deeg teaches a faceted magnet (as seen in Fig. 1). It would have been obvious to one of ordinary skill in the art at the time of the invention to modify the magnets of Moore in view of the faceted magnets of Deeg as merely a substitution of equally well-known rotor magnets, and also

Application/Control Number: 10/635,318 Page 10

Art Unit: 2834

because it has been held that a change in shape is not considered to be patentably distinct if it does not effect the utility of a device (In re Dailey, 357 F.2d 669, 149 USPQ 47 (CCPA 1966)).

Claims 15,16,23,26 & 31 rejected under 35 U.S.C. 103(a) as being unpatentable over Moore et al. (US 7061466) in view of Rosenberg et al. (US 6437771). Moore teaches the motor of claims 1,17,24 & 29, but it does not teach that said stator further comprises a third lamination stack having an interior curved surface and a coil wound thereon; wherein said rotor includes at least one magnet disposed thereon and being movable along said interior curved surface of said third lamination stack in a direction defining a third degree of freedom; wherein energization of the coil of said third lamination stack establishes a third magnetic field to urge said output shaft to rotate in a third plane substantially orthogonal to each of said first and second planes. However, Rosenberg teaches a force feedback system wherein force can be applied to an output shaft (Fig. 2, #44) in three substantially orthogonal degrees of freedom (Fig. 2, #51-53). It would have been obvious to one of ordinary skill in the art at the time of the invention to include another of the lamination stacks of Moore in the system as taught by Moore in view of the three degrees of freedom as taught by Rosenberg because it provides a means for simulating the tool impacting a body (Rosenberg, Col. 12, Lines 9-19), and it also would have been obvious to one of ordinary skill in the art at the time of the invention to include another of the lamination stacks of Moore in the system as taught by Moore since it has been held that the mere duplication of parts has no patentable significance unless a new and unexpected result is produced (In re Harza, 274 F.2d

669, 124 USPQ 378 (CCPA 1960)). It would also have been obvious to one of ordinary skill in the art at the time of the invention to place this third lamination stack in a position wherein the laminations of the first and second lamination stacks are substantially perpendicular to its laminations (i.e. in a position wherein the laminations of the third lamination stack extend in a radial direction with respect to the output shaft) since it has been held that changing the position of an element of an invention is prima facie obvious in the absence of new or unexpected results (In re Japikse, 181 F.2d 1019, 86 USPQ 70 (CCPA 1950)).

Response to Arguments

Applicant's arguments with respect to claims 1-54 have been considered but are moot in view of the new ground(s) of rejection.

In response to the applicant's argument that Corcoran fails to teach asymmetrically positioned lamination stacks/coils wherein the stacks/coils are on one side of the output shaft without a complimentary stack/coil on the opposite side of the shaft, it is noted that this relations ship is taught in Fig. 21 (as further described above). Laminations stacks 714b and 714D are not symmetrical about the output shaft, nor are they complimentary and similarly positioned.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. US 4908558

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

Art Unit: 2834

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Erik D. Preston whose telephone number is (571)272-8393. The examiner can normally be reached on Monday through Friday 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on (571)272-2044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/635,318 Page 13

Art Unit: 2834

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

06/15/2006

DARREN SCHUBERG SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2500